

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Eric S. DeJong
TADASHI OKAMOTO ET AL.)	
	:	Art Unit: 1631
Appln. No.: 10/601,777)	
	:	
Filed: June 24, 2003)	Conf. No.: 9502
	:	
For: METHOD FOR ACQUIRING)	
INFORMATION OF A BIOCHIP USING	:	
TIME OF FLIGHT SECONDARY ION)	
MASS SPECTROMETRY AND AN	:	
APPARATUS FOR ACQUIRING)	
INFORMATION FOR THE	:	
APPLICATION THEREOF)	
	:	
U.S. Patent No.: 7,188,031 B1)	
	:	
Issued: March 6, 2007)	July 24, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form is attached.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Jason M. Okun/

Jason M. Okun
Attorney for Patentees
Registration No. 48,512

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

1474040v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,188,031 B1

DATED : March 6, 2007

INVENTOR(S) : TADASHI OKAMOTO ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14

Line 42, "NO: 5)" should read --NO: 2')--;

Line 49, "NO: 5" should read --NO: 2'--;

Line 51, "NO: 5" should read --NO: 2'--; and

Line 58, "NO: 5" should read --NO: 2'--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,188,031 B1

No. of add'l. copies
@ 30¢ per page

